Table of contents Volume 94

No. 1 pp.	1-85	issued	on	18.	7.1986
No. 2 pp.	87-145	issued	on	20.	8.1986
No. 3 pp.	147-234	issued	on	24.	9.1986
No. 4 pp.	235-317	issued	on	23.1	0.1986
No. 5 pp.	319-424	issued	on	18.1	2.1986
No. 6 pp.	425-513	issued	on	16.	1.1987

Allen, T.D., s. Jack et al	395-402	Brenner, S.L., s. Brinkley et al	309-317
Ambros, P.F., Matzke, M.A., Matzke, A.J.M.: Detec-		Brinkley, B.R., Brenner, S.L., Hall, J.M., Tousson, A.,	
tion of a 17 kb unique sequence (T-DNA) in plant		Balczon, R.D., Valdivia, M.M.: Arrangements of ki-	
chromosomes by in situ hybridization	11–18	netochores in mouse cells during meiosis and sper-	
Anderson, L., s. Stack	253-258	miogenesis	309-317
Andronico, F., s. Nardi et al	377–388	Broccoli, D., s. Zinkowski et al	243-248
Angelier, N., Bonnanfant-Jaïs, M.L., Moreau, N., Gou-		Bumcrot, D.A., s. Risley et al	217-227
non, P., Lavaud, A.: DNA methylation and RNA		Burma, P.K., Lekhotia, S.C.: Expression of 93D heat	
transcriptional activity in amphibian lampbrush	467 400	shock puff of Drosophila melanogaster in deficiency	
chromosomes	167–182	genotypes and its influence on activity of the 87C	272 270
Angelier, N., s. Penrad-Mobayed et al	319-328	puff	273-278
Anxolabéhère, D., s. Ronsseray, S	433–440 45–58	Case, S.T.: Correlated changes in steady-state levels of	
Appels, R., s. John et al	43-36	Balbiani ring mRNAs and secretory polypeptides in salivary glands of <i>Chironomus tentans</i>	483-491
from the Caledia captiva species complex. III. Cyto-		Case, S.T., s. Kao	475-482
logical organisation and sequence evolution in a di-		Chandley, A.C., s. Eichenlaub-Ritter et al.	337-345
spersed highly repeated DNA family	183-188	Chatterjee, R.N., s. Bhadra	285-292
Backman, R.L., Hales, D.F.: Behaviour of the X chro-	105 100	Chowdhuri, D.K., Lakhotia, S.C.: Different effects of	205 272
mosomes during growth and maturation of parthe-		93D on 87C heat shock puff activity in <i>Drosophila</i>	
nogenetic eggs of Amphorophora tuberculata (Ho-		melanogaster and D. simulans	279-284
moptera, Aphididae), in relation to sex determina-		Cleaver, J.E., s. Bianchi et al.	362-366
tion	59-64	Colin, P., s. Schultz et al	189-198
Balczon, R.D., s. Brinkley et al	309-317	Contreras, N., s. John et al	45-58
Bastmeyer, M., Fuge, H.: The distribution of intermic-		Courvalin, JC., Hernandez-Verdun, D., Gosti-Testu,	
rotubular bridges in meiotic spindles of the crane		F., Marty, MC., Maunoury, R., Bornens, M.: A	
fly	419-424	protein of M _r 80,000 is associated with the nucleolus	
Batistoni, R., s. Nardi et al	377–388	organizer of human cell lines	353-361
Bautz, F.A., s. Guldner et al	132–138	De Lucchini, S., s. Nardi et al.	377-388
Belyaeva, E.S., s. Zhimulev et al.	492-504	Dijkhof, R., s. Kremer et al.	147–161
Benedum, U.M., Neitzel, H., Sperling, K., Bogenberger,		Duncan, A.M.V., s. McDermid et al	228-234
J., Fittler, F.: Organization and chromosomal distri-		Duttaroy, A., s. Bose	87–93
bution of a novel repetitive DNA component from		Egyházi, E., Pigon, A.: Selective repression of RNA po-	220 226
Muntiacus muntjak vaginalis with a repeat length of	267 272	lymerase II by microinjected phosvitin	329-336
more than 40 kb	267–272	Egyházi, E., Thyberg, J., Pigon, A., Johansson, O.: Inac-	
Bhadra, U., Chatterjee, R.N.: Dosage compensation		tive chromatin in polytene chromosomes of <i>Chirono-</i>	
and template organisation in <i>Drosophila</i> : In situ transcriptional analysis of the chromatin template		mus tentans partially shows a non-nucleosomal orga-	19-30
activity of the X and autosomes of D. melanogaster		nization	19-30
strains trisomic for the left arm of the second and		Alterations to the microtubular cytoskeleton and inc-	
third chromosomes	285-292	reased disorder of chromosome alignment in sponta-	
Bianchi, N.O., Vidal-Rioja, L., Cleaver, J.E.: Direct vi-		neously ovulated mouse oocytes aged in vivo: an	
sualization of the sites of DNA methylation in hu-		immunofluorescence study	337-345
man, and mosquito chromosomes	362-366	Einheber, S., s. Risley et al	217-227
Bogdanov, Yu.F., Kolomiets, O.L., Lyapunova, E.A.,		Fernández-Gómez, M.E., s. Medina et al	259-266
Yanina, I.Yu., Mazurova, T.F.: Synaptonemal com-		Fernandez-Piqueras, J., s. Sentis et al	65-70
plexes and chromosome chains in the rodent Ellobius		Fifis, T., s. Hill et al	441-448
talpinus heterozygous for ten Robertsonian translo-		Fittler, F., s. Benedum et al	267-272
cations	94-102	Fomina, O.V., s. Zhimulev et al	492-504
Bogenberger, J., s. Benedum et al		Frackowiak, S., Labidi, B., Hernandez-Verdun, D.,	
Bohrmann, J., Kiefer, G., Sander, K: Inverse correla-		Bouteille, M.: Preservation of chromosome integrity	
tion between mean nuclear DNA content and cell		during micronucleation induced by colchicine in	
number in nurse cell clusters of Drosophila		PtK ₁ cells	468-474
Bolshakov, V.N., s. Zhimulev et al.		Fuge, H., s. Bastmeyer	419-424
Bonnanfant-Jaïs, M.L., s. Angelier et al		Garagna, S., s. Redi et al.	31–35
Bonnanfant-Jaïs, M.L., s. Penrad-Mobayed et al		Goday, C., Pimpinelli, S.: Cytological analysis of chro-	
Bornens, M., s. Courvalin et al.		mosomes in the two species Parascaris univalens and	4 40
Bose, D., Duttaroy, A.: A case of variegation at the		P. equorum	1-10
level of chromosome organization		Gosden, R.G., s. Eichenlaub-Ritter et al	337-345 353-361
Brasch, K.R., s. McDermid et al.		Gosti-Testu, F., s. Courvalin et al	
Diusen, K.R., S. MicDeffind et al	220-234	Gounon, F., S. Angener et al	107-182

Greenbaum, I.F., s. Hale	235-242	Maguire, M.P.: The pattern of pairing that is effective	
Guldner, HH., Szostecki, C., Vosberg, HP., Lako-		for crossing over in complex B-A chromosome rear-	
mek, HJ., Penner, E., Bautz, F.A.: Scl 70 autoanti-		rangements in maize. III. Possible evidence for pai-	
bodies from scleroderma patients recognize a 95 kDa		ring centers	71–85
protein identified as DNA topoisomerase I	132–138		353-361
Haaf, T., Ott, G., Schmid, M.: Differential inhibition		Matzke, A.J.M., s. Ambros et al.	11-18
of sister chromatid condensation induced by 5-aza-		Matzke, M.A., s. Ambros et al	11-18
deoxycytidine in human chromosomes	389-394		353-361
Haaf, T., s. Schmid et al	139–145	Mavragani-Tsipidou, P., Kastritsis, C.D.: The role of	
Hale, D.W.: Heterosynapsis and suppression of chias-		the hormone ecdysterone in the control of the acti-	
mata within heterozygous pericentric inversions of		vity of the Balbiani rings and the other puffs of Dro-	
the Sitka deer mouse	425-432	sophila auraria	505-513
Hale, D.W., Greenbaum, I.F.: The behavior and mor-		Mayr, B., s. Kopp et al.	346-352
phology of the X and Y chromosomes during pro-		Mazurova, T.F., s. Bogdanov et al	94-102
phase I in the Sitka deer mouse (Peromyscus sitken-		Mazzini, G., s. Redi et al.	31-35
sis)	235-242	McDermid, H.E., Duncan, A.M.V., Higgins, M.J., Ha-	
Hales, D.F., s. Backman	59-64	merton, J.L., Rector, E., Brasch, K.R., White, B.N.:	
Hall, J.M., s. Brinkley et al	309-317	Isolation and characterization of an α-satellite repea-	
Hamerton, J.L., s. McDermid et al	228-234	ted sequence from human chromosome 22	228-234
Harris, R., s. Jack et al	395-402	Medina, F.J., Solanilla, E.L., Sánchez-Pina, M.A., Fer-	
Harrison, C.J., s. Jack et al	395-402	nández-Gómez, M.E., Risueño, M.C.: Cytological	
Hennig, W., s. Kremer et al	147-161	approach to the nucleolar functions detected by sil-	
Hennig, W., s. Vogt	449-458	ver staining	259-266
Hennig, W., s. Vogt	459-467	Moreau, N., s. Angelier et al	167-182
Hennig, W., s. Vogt et al	367-376	Mott, M.R., Hill, R.J.: The ultrastructural morphology	10, 102
Hernandez-Verdun, D., s. Courvalin et al	353-361	of native salivary gland chromosomes of <i>Drosophila</i>	
Hernandez-Verdun, D., s. Frackowiak et al	468-474	melanogaster: The band-interband question	403-411
Higgins, M.J., s. McDermid et al	228-234	Mott, M.R., s. Hill et al	441-448
Hill, R.J., Mott, M.R., Watt, F., Fifis, T., Underwood,	220 25 .	Murray, B.G.: Interchange quadrivalents and chromo-	111 110
P.A.: The localisation of an Mr 74,00 major chroma-		some order at meiotic metaphase I in <i>Briza</i> L. (Gra-	
tin antigen on native salivary chromosomes of <i>Droso</i> -		mineae)	293-296
phila melanogaster	441-448	Nardi, I., Andronico, F., De Lucchini, S., Batistoni, R.:	275-270
Hill, R.J., s. Mott	403-411	Cytogenetics of the European plethodontid salaman-	
Huberman, J.A., Pridmore, R.D., Jäger, D., Zonneveld,	405 411		377-388
B., Philippsen, P.: Centromeric DNA from Saccha-		ders of the genus <i>Hydromantes</i> (Amphibia, Urodela) N'Da, E., s. Penrad-Mobayed et al.	319–328
romyces warum is functional in Saccharomyces cere-		Neitzel, H., s. Benedum et al.	267-272
	162-168		389-394
visiae	102-108	Ott, G., s. Haaf et al.	
Jack, E.M., Harrison, C.J., Allen, T.D., Harris, R.: A		Oudet, P., s. Schultz et al.	189-198
structural basis for R- and T-banding: A scanning	205 402	Penner, E., s. Guldner et al	132–138
electron microscopy study	395-402	Penrad-Mobayed, M., Bonnanfant-Jaïs, M.L., N'Da, E.,	
Jäger, D., s. Huberman et al.	162–168	Angelier, N.: Evidence for a particular mode of	
Johansson, O., s. Egyházi et al.	19–30	transcription in globular loops of lampbrush chro-	240 220
John, B., Appels, R., Contreras, N.: Population cytoge-		mosomes of the newt Pleurodeles waltlii	319–328
netics of Atractomorpha similis. II. Molecular charac-		Philippsen, P., s. Huberman et al	162–168
terisation of the distal C-band polymorphisms	45–58	Pigon, A., s. Egyházi	329-336
Kafatos, F.C., s. Loukas	297-308	Pigon, A., s. Egyházi et al	19–30
Kao, WY., Case, S.T.: Individual variations in the con-		Pimpinelli, S., s. Goday	1-10
tent of giant secretory polypeptides in salivary glands		Pridmore, R.D., s. Huberman et al.	162–168
of Chironomus	475-482	Protopopov, M.O., s. Zhimulev et al	492-504
Kastritsis, C.D., s. Mavragani-Tsipidou	505-513	Rector, E., s. McDermid et al	228-234
Kauffman, S.A., s. Kornher	205-216	Redi, C.A., Garagna, S., Mazzini, G., Winking, H.: Pe-	
Kiefer, G., s. Bohrmann et al	36-44	ricentromeric heterochromatin and A-T contents	
Kolomiets, O.L., s. Bogdanov et al	94-102	during Robertsonian fusion in the house mouse	31-35
Kopp, E., Mayr, B., Schleger, W.: Species-specific non-		Régnier, E., s. Schultz et al	189-198
expression of ribosomal RNA in a mammalian hy-		Rickards, G.K.: Position and orientation in the meta-	
brid, the mule	346-352	phase equator of an interchange quadrivalent of hy-	
Kornher, J.S., Kauffman, S.A.: Variegated expression		brid rye	249-252
of the Sgs-4 locus in Drosophila melanogaster	205-216	Risley, M.S., Einheber, S., Bumcrot, D.A.: Changes in	
Kremer, H., Hennig, W., Dijkhof, R.: Chromatin orga-		DNA topology during spermatogenesis	217-227
nization in the male germ line of Drosophila hydei		Risueño, M.C., s. Medina et al	259-266
Labidi, B., s. Frackowiak et al	468-474	Ronsseray, S., Anxolabéhère, D.: Chromosomal distri-	
Lakhotia, S.C., s. Chowdhuri		bution of P and I transposable elements in a natural	
Lakomek, HJ., s. Guldner et al		population of Drosophila melanogaster	433-440
Lavaud, A., s. Angelier et al.		Sánchez-Pina, M.A., s. Medina et al	259-266
Lekhotia, S.C., s. Burma		Sander, K., s. Bohrmann et al.	36-44
Loukas, M., Kafatos, F.C.: The actin loci in the genus		Santos, J., s. Sentis et al.	65-70
Drosophila: Establishment of chromosomal homolo-		Schleger, W., s. Kopp et al.	346-352
gies among distantly related species by in situ hybri-		Schmid, M., Sims, S.H., Haaf, T., Macgregor, H.C.:	3-0-332
dization		Chromosome banding in Amphibia. X. 18S and 28S	
Lyapunova, E.A., s. Bogdanov et al.			
Macgregor, H.C., s. Schmid et al.		ribosomal RNA genes, nucleolus organizers and nuc-	120 144
	137-143	leoli in Gastrotheca riobambae	139–145

Schmid, M., s. Haaf et al	389-394	Valdivia, M.M., s. Brinkley et al	309-317
Schultz, P., Weiss, E., Colin, P., Régnier, E., Oudet,		Verbost, P., s. Vogt et al	367-376
P.: Characterization of SV40 chromatin by mass de-		Vidal-Rioja, L., s. Bianchi et al	362-366
termination on STEM	189-198	Vig, B.K., s. Zinkowski et al	243-248
Sentis, C., Santos, J., Fernandez-Piqueras, J.: C-hete-		Vogel, W., s. Speit	103-106
rochromatin polymorphism in Baetica ustulata: In-		Vogt, P., Hennig, W.: Molecular structure of the lamp-	
traindividual variation and fluorescence banding pat-		brush loops nooses of the Y chromosome of Droso-	
terns	65-70	phila hydei. I. The Y chromosome-specific repetitive	
Sims, S.H., s. Schmid et al	139-145	DNA sequence family ay1 is dispersed in the loop	
Solanilla, E.L., s. Medina et al	259-266	DNA	449-458
Speed, R.M.: Oocyte development in XO foetuses of		Vogt, P., Hennig, W.: Molecular structure of the lamp-	
man and mouse: The possible role of heterologous		brush loops nooses of the Y chromosome of Droso-	
X-chromosome pairing in germ cell survival	115-124	phila hydei. II. DNA sequences with homologies to	
Speit, G., Vogel, W.: Detection of bromodeoxyuridine		multiple genomic locations are major constituents of	
incorporation in mammalian chromosomes by a bro-		the loop	459-467
modeoxyuridine antibody. II. Demonstration of si-		Vogt, P., Hennig, W., ten Hacken, D., Verbost, P.: Evo-	
ster chromatid exchanges	103-106	lution of Y chromosomal lampbrush loop DNA se-	
Sperling, K., s. Benedum et al	267-272	quences of Drosophila	367-376
Stack, S., Anderson, L.: Two-dimensional spreads of		Vosberg, HP., s. Guldner et al	132-138
synaptonemal complexes from solanaceous plants.		Watt, F., s. Hill et al	441-448
III. Recombination nodules and crossing over in Ly-		Weiss, E., s. Schultz et al	189-198
copersicon esculentum (tomato)	253-258	Weith, A., Traut, W.: Synaptic adjustment, non-homo-	
Steffen, W.: Relationship between the arrangement of		logous pairing, and non-pairing of homologous seg-	
microtubules and chromosome behaviour of syntelic		ments in sex chromosome mutants of Ephestia kueh-	
autosomal univalents during prometaphase in crane		niella (Insecta, Lepidoptera)	125-131
fly spermatocytes	412-418	White, B.N., s. McDermid et al	228-234
Steffen, W.: Three-dimensional architecture of chromo-		Winking, H., s. Redi et al	31-35
some fibres in the crane fly: Co-oriented autosomal		Yanina, I.Yu., s. Bogdanov et al	94-102
bivalents and amphitelic sex univalents during pro-		Zhimulev, I.F., Belyaeva, E.S., Fomina, O.V., Protopo-	
metaphase	107-114	pov, M.O., Bolshakov, V.N.: Cytogenetic and mole-	
Sumner, A.T.: Electron microscopy of the parameres		cular aspects of position effect variegation in Droso-	
formed by the centromeric heterochromatin of hu-		phila melanogaster. I. Morphology and genetic acti-	
man chromosome 9 at pachytene	199-204	vity of the 2AB region in chromosome rearrange-	
Szostecki, C., s. Guldner et al	132-138	ment $T(1;2)dor^{var7}$	492-504
ten Hacken, D., s. Vogt et al	367-376	Zinkowski, R.P., Vig, B.K., Broccoli, D.: Characteriza-	
Thyberg, J., s. Egyházi et al	19-30	tion of kinetochores in multicentric chromosomes	243-248
Tousson, A., s. Brinkley et al	309-317	Zonneveld, B., s. Huberman et al	162-168
Traut, W., s. Weith	125-131		
Underwood, P.A., s. Hill et al		Indexed in Current Contents	